


OVERVIEW



1. USB-C 2.0	4. Guide pins
2. Power button	5. Pogo pin connector (5-point)
3. Volume button	

PERFORMANCE

Processor

Processor Family

MediaTek Processor

Processor

Processor Name	Cores	Threads	Max Frequency	Memory Support	Processor Graphics
MediaTek Helio P60T	4x A73 + 4x A53	8	A53@2.0GHz / A73@2.0GHz	LPDDR4x	ARM Mali-G72 MP3 GPU

Operating System

Operating System

ChromeOS

Graphics

Graphics

Graphics	Type	Memory
ARM Mali-G72 MP3 GPU	Integrated	Shared

Chipset

Chipset

MediaTek SoC (System on Chip) platform

Memory

Max Memory

4GB soldered memory, not upgradable

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type

LPDDR4x

Storage

Storage Support**[1]

- 64GB eMCP4x on systemboard
- 128GB eMCP4x on systemboard

Storage Slot

eMCP4x on systemboard, no slots

Storage Type

Disk Type	Interface	Offering
Flash Memory	eMMC 5.1	64GB / 128GB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings. The system may support larger storage as the technology develops.

Multi-Media

Audio Chip

High Definition (HD) Audio

Speakers

Stereo speakers, 1W x2

Microphone

Dual-microphone array, far-field

Camera

IdeaPad Duet Chromebook

Front 2.0MP, fixed focus, rear 8.0MP, autofocus

Sensor

Sensors

- Accelerometer (G) sensor
- Ambient light sensor (ALS)
- Gyroscope sensor
- Hall sensor

Battery

Battery

Integrated Li-Polymer 7000mAh/27Wh (minimum) / 7180mAh/27.6Wh (typical) battery

Max Battery Life^[1]

Google power load test: 10 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter^[1]

5V/2A (10W) USB-C® AC adapter, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

DESIGN

Display

Display^{[1][2]}

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Color Gamut	Refresh Rate	Key Features
10.1"	WUXGA (1920x1200) ^[3]	Multi-touch	IPS	400 nits	Anti-fingerprint	16:10	70% NTSC	60Hz	16.7M

Touchscreen

Capacitive-type multi-touch, supports 10-point touch

Notes:

[1] California Electronic Waste Recycling Fee

In California USA, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, please go to <https://www.calrecycle.ca.gov/Electronics/Consumer>.

[2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

[3] In marketing terms, WUXGA is FHD+.

Input Device

Pen

- Lenovo USI Pen with replaceable AAAA alkaline battery, 4096 levels of pressure sensitivity
- No pen (purchase separately)

Keyboard

- Dock with non-backlit keyboard (Pogo pin connected)
- No keyboard dock

Keyboard Backlight

Non-backlight

Touchpad

One-piece multi-touch trackpad on the keyboard, 49 x 87 mm (1.93 x 3.43 inches)

Mechanical

Dimensions (WxDxH)^[1]

Models	Dimensions
Pad with keyboard and stand cover	Pad: 239.8 x 159.8 x 7.35 mm (9.44 x 6.29 x 0.28 inches) Keyboard (WxD): 244.8 x 169.3 mm (9.63 x 6.66 inches) Stand cover (WxD): 243.8 x 161.8 mm (9.59 x 6.37 inches)

Weight^[2]

Models	Weight
Suit	Pad: around 450 g (0.99 lbs) Keyboard: around 250 g (0.55 lbs) Stand cover: around 220 g (0.48 lbs)

Case Color

Ice blue, iron grey, dual-tone design

Surface Treatment

Anodizing + painting

Case Material

Tablet: aluminium + PC-ABS (back cover)

Keyboard: PU

Stand cover: fabric

Others

- Buttons: power key, volume key
- Charging time: around 4hr (device off)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

WLAN + Bluetooth^[1]

802.11ac dual band 2x2 Wi-Fi® + Bluetooth 4.2

Notes:

[1] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

Ports^[1]

Standard Ports

1x USB-C 2.0 (support data transfer, OTG, Power Delivery, and DisplayPort™)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Docking

Docking

Lenovo Keyboard Pack (keyboard + stand cover)

SECURITY & PRIVACY

Security

Security Chip

Google Security Chip H1

SERVICE

Warranty^[1]

Base Warranty**

- 1-year carry-in service
- 1-year mail-in service
- 1-year courier service
- 2-year (1-yr battery) mail-in service
- 2-year (1-yr battery) courier service
- 2-year (2-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier service

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <https://smartfind.lenovo.com/>. To learn more details of warranty policy, please access <https://pcsupport.lenovo.com/warranty>.

ENVIRONMENTAL

Operating Environment

Temperature

- At altitudes above 2438 m (8,000 ft)
 - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)
- Operating: 0°C (32°F) to 40°C (104°F)
- Storage: -20°C (-4°F) to 60°C (140°F)

Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

ACCESSORIES

Bundled Accessories

Bundled Accessories

Lenovo Keyboard Pack (keyboard + stand cover)

CERTIFICATIONS

Green Certifications^[1]

Green Certifications

- ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

